

octonet - Segnalazione #233

Upgrade: upgrade Scheduled at 2017-04-18 14:46:46 Not completed yet

04/19/2017 09:10 AM - Michael Guggenberg

<b>Status:</b>	Risolto	<b>Start date:</b>	04/19/2017
<b>Priority:</b>	Normale	<b>Due date:</b>	
<b>Assignee:</b>	TRUELITE	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Description</b>			
Un distupgrade schedulato attravarso octonet non parte sui clients			
upgrade test1 toggle dist-upgrade (upgrade)			
upgrade test2 toggle dist-upgrade (upgrade)			
upgrade test3 toggle dist-upgrade (upgrade)			
upgrade test4 toggle dist-upgrade (upgrade)			
upgrade test5 toggle dist-upgrade (upgrade)			
Upgrade: upgrade			
Scheduled at 2017-04-18 14:46:46 Not completed yet			
Host list			
Search:			
Name Started Ended Result			
test1 -- -- --			
test2 -- -- --			
test3 -- -- --			
test4 -- -- --			
test5 -- -- --			
Showing 1 to 5 of 5 entries			
<b>Related issues:</b>			
Related to fuss-client - Segnalazione #235: installazione octofuss-client		<b>Risolto</b>	<b>04/19/2017</b>
Related to octofuss-client - Segnalazione #291: Configurazione server		<b>Chiuso</b>	<b>06/08/2017</b>

History

#1 - 04/19/2017 11:15 AM - Michael Guggenberg

- Assignee set to TRUELITE

#2 - 04/19/2017 11:22 AM - Christopher R. Gabriel

- Status changed from Nuovo to Commenti

- Assignee changed from TRUELITE to Michael Guggenberg

Ciao Michael,

puoi cortesemente fornirmi la versione dei pacchetti fuss-client e octofuss-client presenti sui client collegati?

#3 - 04/19/2017 11:39 AM - Michael Guggenberg

- File fc\_test1.log added

```
root@test1:~# dpkg -l fuss-client
Voluto=U (non noto)/I (installato)/R (rimosso)/P (rimosso totale)/H (in attesa) |
Stato=Non/Inst/Conf-files/Unpacked/halF-conf/Half-inst/trig-aWait/Trig-pend / Err?=(nessuno)/R (reinstallazione richiesta) (Stato,Err:
maiuscolo=grave) || Nome Versione Architettura Descrizione
+++=====
=====
ii fuss-client 8.0.2 all Connect a workstation to a FUSS Server
```

```
root@test1:~# dpkg -l octofuss-client
dpkg-query: nessun pacchetto corrispondente a octofuss-client
```

Allego l'output di fuss-client -a -g test1

#### #4 - 04/19/2017 11:42 AM - Christopher R. Gabriel

Ok, manca octofuss-client, che e' quello che si occupa di interagire con octofussd ed eseguire le operazioni (tra cui gli upgrade).

Come e' stato installato il client? Da ISO, da zero.. ?

#### #5 - 04/19/2017 11:46 AM - Michael Guggenberg

da fuss-client-jessie-amd64-201703221535.iso

#### #6 - 04/19/2017 11:58 AM - Christopher R. Gabriel

Ok, intanto apro ticket specifico, puoi installare octofuss-client e verificare che completi i task?

#### #7 - 04/19/2017 12:29 PM - Michael Guggenberg

installato octofuss-client su test1  
riavviato il servizio su server e su test1

il job schedulato per ora non è stato eseguito

```
upgrade dist-upgrade 2017-04-18 14:46:46 -- 5
```

#### #8 - 04/19/2017 03:31 PM - Michael Guggenberg

- Related to Segnalazione #235: installazione octofuss-client added

#### #9 - 04/19/2017 03:49 PM - Michael Guggenberg

fuss-client 8.0.3  
octofuss-client 8.0.6-1

```
root@test1:~# systemctl -l status octofuss-client.service
```

- octofuss-client.service - Octofuss Client  
Loaded: loaded (/lib/systemd/system/octofuss-client.service; enabled)  
Active: failed (Result: start-limit) since mer 2017-04-19 15:48:29 CEST; 4s ago  
Docs: <https://work.fuss.bz.it/projects/octofuss-client/>  
Process: 983 ExecStop=/bin/kill -s TERM \$MAINPID (code=exited, status=0/SUCCESS)  
Process: 981 ExecStart=/usr/bin/twistd3 -noy /usr/sbin/octofuss-client --logfile=/var/log/octofuss/octofuss-client.log --pidfile=/var/run/octofuss-client.pid (code=exited, status=203/EXEC)  
Main PID: 981 (code=exited, status=203/EXEC)

```
apr 19 15:48:29 test1 systemd1: Unit octofuss-client.service entered failed state.
apr 19 15:48:29 test1 systemd1: octofuss-client.service holdoff time over, scheduling restart.
apr 19 15:48:29 test1 systemd1: Stopping Octofuss Client...
apr 19 15:48:29 test1 systemd1: Starting Octofuss Client...
apr 19 15:48:29 test1 systemd1: octofuss-client.service start request repeated too quickly, refusing to start.
apr 19 15:48:29 test1 systemd1: Failed to start Octofuss Client.
apr 19 15:48:29 test1 systemd1: Unit octofuss-client.service entered failed state.
```

**#10 - 04/19/2017 04:10 PM - Michael Guggenberg**

-bash: /usr/bin/twistd3: File o directory non esistente

- octofuss-client.service - Octofuss Client  
Loaded: loaded (/lib/systemd/system/octofuss-client.service; enabled)  
Active: active (running) since mer 2017-04-19 16:10:08 CEST; 413ms ago  
Docs: <https://work.fuss.bz.it/projects/octofuss-client/>  
Process: 2127 ExecStop=/bin/kill -s TERM \$MAINPID (code=exited, status=0/SUCCESS)  
Main PID: 2133 (twistd3)  
CGroup: /system.slice/octofuss-client.service  
`-2133 /usr/bin/python3 /usr/bin/twistd3 -noy /usr/sbin/octofuss-client --logfile=/var/log/octofuss/octofuss-client.log  
--pidfile=/var/run/octofuss-client.pid

**#11 - 04/19/2017 04:20 PM - Michael Guggenberg**

Unhandled Error

Traceback (most recent call last):

File "/usr/lib/python3/dist-packages/twisted/application/app.py", line 643, in run  
runApp(config)

File "/usr/lib/python3/dist-packages/twisted/scripts/twistd.py", line 25, in runApp  
\_SomeApplicationRunner(config).run()

File "/usr/lib/python3/dist-packages/twisted/application/app.py", line 374, in run  
self.application = self.createOrGetApplication()

File "/usr/lib/python3/dist-packages/twisted/application/app.py", line 439, in createOrGetApplication  
application = getApplication(self.config, passphrase)

--- <exception caught here> ---

File "/usr/lib/python3/dist-packages/twisted/application/app.py", line 450, in getApplication  
application = service.loadApplication(filename, style, passphrase)

File "/usr/lib/python3/dist-packages/twisted/application/service.py", line 411, in loadApplication  
passphrase)

File "/usr/lib/python3/dist-packages/twisted/persisted/sob.py", line 224, in loadValueFromFile  
eval(codeObj, d, d)

File "/usr/sbin/octofuss-client", line 17, in <module>

from octofussclient import OctofussClient

builtins.ImportError: No module named 'octofussclient'

**#12 - 04/28/2017 01:11 PM - Elena Grandi**

- Assignee changed from Michael Guggenberg to Elena Grandi

**#13 - 04/28/2017 02:50 PM - Elena Grandi**

- Assignee changed from Elena Grandi to Michael Guggenberg

Uploadata nuova versione di octofuss-client (8.0.7-1) che mi pare risolva i problemi segnalati, testabile.

#### #14 - 05/02/2017 12:39 PM - Michael Guggenberg

- File Screenshot - 05022017 - 12\_23\_34 PM.png added

- File Screenshot - 05022017 - 12\_23\_46 PM.png added

- File octofuss\_client\_logs.tar.gz added

octofuss-clienti 8.0.7-1

systemctl -l status octofuss-client

- octofuss-client.service - Octofuss Client  
Loaded: loaded (/lib/systemd/system/octofuss-client.service; enabled)  
Active: active (running) since mar 2017-05-02 11:51:53 CEST; 43min ago  
Docs: <https://work.fuss.bz.it/projects/octofuss-client/>  
Main PID: 487 (twistd3)  
CGroup: /system.slice/octofuss-client.service  
└─487 /usr/bin/python3 /usr/bin/twistd3 -noy /usr/sbin/octofuss-client --logfile=/var/log/octofuss/octofuss-client.log  
--pidfile=/var/run/octofuss-client.pid

mag 02 12:12:14 test1 twistd3<sup>487</sup>: WARNING USING CONF FILE /etc/octofuss-client/server.conf  
mag 02 12:12:14 test1 twistd3<sup>487</sup>: WARNING  
mag 02 12:17:14 test1 twistd3<sup>487</sup>: WARNING USING CONF FILE /etc/octofuss-client/server.conf  
mag 02 12:17:14 test1 twistd3<sup>487</sup>: WARNING  
mag 02 12:22:14 test1 twistd3<sup>487</sup>: WARNING USING CONF FILE /etc/octofuss-client/server.conf  
mag 02 12:22:14 test1 twistd3<sup>487</sup>: WARNING  
mag 02 12:27:14 test1 twistd3<sup>487</sup>: WARNING USING CONF FILE /etc/octofuss-client/server.conf  
mag 02 12:27:14 test1 twistd3<sup>487</sup>: WARNING  
mag 02 12:32:14 test1 twistd3<sup>487</sup>: WARNING USING CONF FILE /etc/octofuss-client/server.conf  
mag 02 12:32:14 test1 twistd3<sup>487</sup>: WARNING

#### #15 - 06/08/2017 09:37 AM - Christopher R. Gabriel

- Assignee changed from Michael Guggenberg to Christopher R. Gabriel

Verificato oggi in aula la non esecuzione del task. Da verificare su installazione di test. Oltre che per gli upgrade, risulta anche per le stampante (postazione di Gianni), sospetto problema o di risoluzione inversa del client sul dns oppure scheduler di octofuss-client.

#### #16 - 06/08/2017 10:02 AM - Christopher R. Gabriel

- Assignee changed from Christopher R. Gabriel to Elena Grandi

Vedi [#291](#), non avendo il server configurato non sincronizza i dati.

**#17 - 06/08/2017 10:04 AM - Christopher R. Gabriel**

- Related to Segnalazione #291: Configurazione server added

**#18 - 06/08/2017 02:44 PM - Elena Grandi**

- Assignee changed from Elena Grandi to Michael Guggenberg

Uploadata ora la versione 8.0.10 di fuss-client che configura l'indirizzo del server dove octofuss-client se lo aspetta.

Dopo aver aggiornato i vari client e rilanciato fuss-client riprovando dovrebbe andare.

**#19 - 06/23/2017 11:39 AM - Michael Guggenberg**

- Assignee changed from Michael Guggenberg to TRUELITE

fuss-client 8.0.12

```
cat /etc/octofuss-client/server
[Server]
address =
```

**#20 - 06/23/2017 11:51 AM - Christopher R. Gabriel**

- Assignee changed from TRUELITE to Michael Guggenberg

Octofuss-client legge /etc/fuss-client prima di /etc/octofuss-client (vedi [#291](#))

Su questo ticket l'oggetto e' lo smaltimento della coda, quello e' verificato?

**#21 - 06/26/2017 08:49 AM - Michael Guggenberg**

```
test1 dist-upgrade 2017-06-23 09:05:16 -- 1
test2 dist-upgrade 2017-06-23 09:06:23 -- 1
```

```
root@test1-i386:~# cat /etc/fuss-client/server.conf
[Server]
address = 192.168.0.1
```

```
root@test1-i386:~# cat /etc/octofuss-client/server.conf
[Server]
address =
```

**#22 - 06/26/2017 08:51 AM - Christopher R. Gabriel**

Quindi e' corretto, come dicevo octofuss-client legge prima /etc/fuss-client/server.conf dove la configurazione e' esistente.

**#23 - 06/28/2017 08:06 AM - Michael Guggenberg**

Chiudo come risolto.

**#24 - 06/28/2017 08:06 AM - Michael Guggenberg**

- Status changed from *Commenti* to *Risolto*
- Assignee changed from *Michael Guggenberg* to *TRUELITE*
- % Done changed from 0 to 100

**Files**

Screenshot - 04192017 - 09_09_17 AM.png	132 KB	04/19/2017	Michael Guggenberg
Screenshot - 04192017 - 09_09_40 AM.png	122 KB	04/19/2017	Michael Guggenberg
fc_test1.log	19.5 KB	04/19/2017	Michael Guggenberg
Screenshot - 05022017 - 12_23_34 PM.png	131 KB	05/02/2017	Michael Guggenberg
Screenshot - 05022017 - 12_23_46 PM.png	118 KB	05/02/2017	Michael Guggenberg
octofuss_client_logs.tar.gz	9.84 KB	05/02/2017	Michael Guggenberg