

octonet - Segnalazione #342

octonet 0.2.21-1 impossibile accedere

07/05/2017 03:28 PM - Michael Guggenberg

Status:	Chiuso	Start date:	07/05/2017
Priority:	Alta	Due date:	
Assignee:	Christopher R. Gabriel	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:			

Description

Environment:

Request Method: GET
Request URL: http://192.168.10.1:13402/

Django Version: 1.8.16

Python Version: 3.4.2

Installed Applications:

```
['django.contrib.sessions',
 'django.contrib.messages',
 'whitenoise.runserver_nostatic',
 'django.contrib.staticfiles',
 'octonet',
 'hostqueue.apps.HostQueue',
 'firewall.apps.Firewall',
 'dhcp.apps.Dhcp',
 'dansguardian.apps.DansGuardian',
 'host.apps.Host',
 'polygen.apps.Polygen',
 'upgrade.apps.Upgrade',
 'asterisk.apps.Asterisk',
 'samba.apps.Samba',
 'users.apps.Users',
 'script.apps.Script',
 'quota.apps.Quota',
 'printers.apps.Printers',
 'auth.apps.Auth']
```

Installed Middleware:

```
['django.middleware.security.SecurityMiddleware',
 'whitenoise.middleware.WhiteNoiseMiddleware',
 'django.contrib.sessions.middleware.SessionMiddleware',
 'django.middleware.common.CommonMiddleware',
 'django.middleware.csrf.CsrfViewMiddleware',
 'django.middleware.locale.LocaleMiddleware',
 'octonet.middleware.AuthenticationMiddleware',
 'django.contrib.messages.middleware.MessageMiddleware',
 'django.middleware.clickjacking.XFrameOptionsMiddleware']
```

Template error:

In template /usr/share/octonet/octonet/templates/octonet/home.html, error at line 41
Reverse for 'host_edit' with arguments '()' and keyword arguments '{'name': ''}' not found. 1 pattern(s) tried: ['host/edit/(?P<name>[^/]+)\$']

```
31 :             </tr>
32 :             {% endfor %}
33 :         </table>
34 :         {% if last_seen_clients %}
```

```

35 :             <h3>{% trans "Last seen clients" %}</h3>
36 :             <table class="table table-condensed">
37 :                 {% for client in last_seen_clients %}
38 :                     <tr>
39 :                         <td>
40 :                             {% with hostname=client.0 %}
41 :                                 <a href="#" {% url 'host:host_edit' name=hostname %}>{{hostname}}</a>
42 :                             {% endwith %}
43 :                         </td>
44 :                         <td>{{client.1}}</td>
45 :                     </tr>
46 :                 {% endfor %}
47 :             </table>
48 :         {% endif %}
49 :         <h3>{% trans "Filesystems" %}</h3>
50 :         <div class="row">
51 :             {% for fs,val in filesystems.items %}

```

Traceback:

```

File "/usr/lib/python3/dist-packages/django/core/handlers/base.py" in get_response
  164.         response = response.render()
File "/usr/lib/python3/dist-packages/django/template/response.py" in render
  158.         self.content = self.rendered_content
File "/usr/lib/python3/dist-packages/django/template/response.py" in rendered_content
  135.         content = template.render(context, self._request)
File "/usr/lib/python3/dist-packages/django/template/backends/django.py" in render
  74.         return self.template.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  210.         return self._render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in _render
  202.         return self.nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.         bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.         return node.render(context)
File "/usr/lib/python3/dist-packages/django/template/loader_tags.py" in render
  135.         return compiled_parent._render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in _render
  202.         return self.nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.         bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.         return node.render(context)
File "/usr/lib/python3/dist-packages/django/template/loader_tags.py" in render
  135.         return compiled_parent._render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in _render
  202.         return self.nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.         bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.         return node.render(context)

```

```

File "/usr/lib/python3/dist-packages/django/template/loader_tags.py" in render
  65.          result = block.nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.          bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.          return node.render(context)
File "/usr/lib/python3/dist-packages/django/template/loader_tags.py" in render
  65.          result = block.nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.          bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.          return node.render(context)
File "/usr/lib/python3/dist-packages/django/template/defaulttags.py" in render
  329.          return nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.          bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.          return node.render(context)
File "/usr/lib/python3/dist-packages/django/template/defaulttags.py" in render
  329.          return nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.          bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.          return node.render(context)
File "/usr/lib/python3/dist-packages/django/template/defaulttags.py" in render
  329.          return nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.          bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.          return node.render(context)
File "/usr/lib/python3/dist-packages/django/template/defaulttags.py" in render
  217.          nodelist.append(node.render(context))
File "/usr/lib/python3/dist-packages/django/template/defaulttags.py" in render
  576.          return self.nodelist.render(context)
File "/usr/lib/python3/dist-packages/django/template/base.py" in render
  905.          bit = self.render_node(node, context)
File "/usr/lib/python3/dist-packages/django/template/debug.py" in render_node
  79.          return node.render(context)
File "/usr/lib/python3/dist-packages/django/template/defaulttags.py" in render
  507.          six.reraise(*exc_info)
File "/usr/lib/python3/dist-packages/django/utils/six.py" in reraise
  686.      raise value
File "/usr/lib/python3/dist-packages/django/template/defaulttags.py" in render
  493.          url = reverse(view_name, args=args, kwargs=kwargs, current_app=current_app)
File "/usr/lib/python3/dist-packages/django/core/urlresolvers.py" in reverse
  578.      return force_text(iri_to_uri(resolver._reverse_with_prefix(view, prefix, *args, **kwargs)))
File "/usr/lib/python3/dist-packages/django/core/urlresolvers.py" in _reverse_with_prefix
  495.                  (lookup_view_s, args, kwargs, len(patterns), patterns))

Exception Type: NoReverseMatch at /
Exception Value: Reverse for 'host_edit' with arguments '()' and keyword arguments '{'name': ''}' not found. 1 pattern(s) tried: ['host/edit/(?P<name>[^/]+)$']

```

Associated revisions

Revision 832ecc2f - 07/05/2017 03:38 PM - Christopher R. Gabriel

refs #342

handle empty host names

History

#1 - 07/05/2017 03:33 PM - Christopher R. Gabriel

- Status changed from *Nuovo* to *In elaborazione*
- Assignee changed from *TRUELITE* to *Christopher R. Gabriel*

#2 - 07/05/2017 03:42 PM - Christopher R. Gabriel

- Status changed from *In elaborazione* to *Commenti*

- Assignee changed from *Christopher R. Gabriel* to *Michael Guggenberg*

Risulta che nella configurazione del cluster ci sia un host senza nome (sul perche' ci sia non te lo so dire, andrebbe analizzata l'installazione specifica)

Ho pubblicato un pacchetto aggiornato di octonet per gestire il caso e non sollevare l'errore.

#3 - 07/05/2017 03:49 PM - Michael Guggenberg

- Assignee changed from *Michael Guggenberg* to *Christopher R. Gabriel*

risolto, grazie.

output di /etc/clusters:

```
sostegno 250201wsost11.adanegri.blz 250201wsost01.adanegri.blz 250201wsost05.adanegri.blz 250201wsost10.adanegri.blz 250201wsost12.adanegri.blz 250201wsost02.adanegri.blz 250201wsost06.adanegri.blz 250201wsost07.adanegri.blz 250201wsost03.adanegri.blz 250201wsost08.adanegri.blz 250201wsost09.adanegri.blz info 250201winfo16.adanegri.blz 250201winfo01.adanegri.blz 250201winfo21.adanegri.blz 250201winfo12.adanegri.blz 250201winfo05.adanegri.blz 250201winfo07.adanegri.blz 250201winfo14.adanegri.blz 250201winfo20.adanegri.blz 250201winfo06.adanegri.blz 250201winfo18.adanegri.blz 250201winfo22.adanegri.blz 250201winfo17.adanegri.blz 250201winfo13.adanegri.blz 250201winfo19.adanegri.blz 250201winfo03.adanegri.blz 250201winfo09.adanegri.blz 250201winfo04.adanegri.blz 250201winfo10.adanegri.blz 250201winfo24.adanegri.blz 250201winfo02.adanegri.blz 250201winfo01.adanegri.blz 250201winfo04.adanegri.blz 250201winfo08.adanegri.blz 250201winfo11.adanegri.blz 250201winfo23.adanegri.blz 250201winfo15.adanegri.blz
```

#4 - 07/05/2017 03:50 PM - Michael Guggenberg

- Status changed from *Commenti* to *Risolto*

- % Done changed from 0 to 100

#5 - 07/05/2017 03:54 PM - Christopher R. Gabriel

- Status changed from *Risolto* to *Chiuso*