# fuss-manager - Segnalazione #773

# Detect e visualizzazione fact ansible per le macchine

03/11/2019 12:03 PM - Enrico Zini

Status: In elaborazione Start date: 06/28/2019

Priority: Normale Due date:

Assignee: % Done: 0%

Category: Estimated time: 0.00 hour

Target version: 0.10 Prima validazione interfaccia

Resolution:

# **Description**

Per le macchine per le quali abbiamo accesso come root, possiamo fare un giro di gather fact di ansible e mostrarne alcuni nell'interfaccia.

Questo può avere un'utilità generica e dare un meccanismo estensibile per raccogliere informazioni, tipo anche se una macchina è configurata con fuss-client.

### Subtasks:

Segnalazione # 855: Visualizzazione delle informazioni delle macchine

## Related issues:

Related to fuss-manager - Segnalazione #738: Detect macchine configurate con ...

Chiuso 02/19/2019

Related to fuss-manager - Segnalazione #829: Controllare che il caricamento d...

Chiuso 06/03/2019

#### **Associated revisions**

#### Revision b7ef2212 - 04/30/2019 11:57 AM - Elena Grandi

Start running ansible to get setup data. refs: #773

## Revision 56986e90 - 05/04/2019 07:29 PM - Enrico Zini

Prototype a libvirt-based test environment. refs: #773

## Revision a93fb9b3 - 05/05/2019 11:54 PM - Enrico Zini

more experiments made with libvirt. refs: #773

# Revision 481999d1 - 05/06/2019 02:22 PM - Enrico Zini

Refactored testnet. refs: #773

## Revision f338a76d - 05/06/2019 02:24 PM - Enrico Zini

Moved everything to test\_network/ except the CLI itself. refs: #773

#### Revision afe61568 - 05/06/2019 02:40 PM - Enrico Zini

Assign IPs to domains. refs: #773

## Revision 4c83eafc - 05/06/2019 02:43 PM - Enrico Zini

Updated test\_network README. refs: #773

### Revision 07fcfe58 - 05/06/2019 02:53 PM - Enrico Zini

Wait for domains to be started. refs: #773

## Revision 2de79d67 - 05/06/2019 03:09 PM - Enrico Zini

More flexible CLI and cleanup stderr noise. refs: #773

11/01/2024 1/7

## Revision 73656018 - 05/06/2019 03:17 PM - Enrico Zini

Merge remote-tracking branch 'origin/t748' into t773. refs: #773

## Revision dab4d894 - 05/06/2019 04:31 PM - Enrico Zini

Added an ansible setup to run tests on the fuss-test-network machines. refs: #773

## Revision ee9701d8 - 05/06/2019 04:41 PM - Enrico Zini

Have the mock network activity match the test network hosts. refs: #773

#### Revision 0bb38c58 - 05/06/2019 05:09 PM - Enrico Zini

Added host/group vars to connect to test machines. refs: #773

#### Revision 781ee8b9 - 05/06/2019 05:14 PM - Enrico Zini

Moved test playbooks in playbooks/. refs: #773

## Revision d928cc10 - 05/06/2019 06:58 PM - Enrico Zini

Refactored playbook running so it can be wired into manager. refs: #773

#### Revision 95786b4d - 05/06/2019 07:31 PM - Enrico Zini

Started working on running playbooks. refs: #773

#### Revision 736ca041 - 05/06/2019 07:47 PM - Enrico Zini

remove nondeterminism. refs: #773

## Revision e3946f63 - 05/06/2019 08:17 PM - Enrico Zini

Run playbooks and dispatch their output to the hosts involved. refs: #773

### Revision ba911919 - 05/22/2019 02:47 PM - Elena Grandi

Start saving a cache of ansible facts. refs: #773

## Revision aba68a39 - 05/28/2019 02:23 PM - Elena Grandi

Save a log of facts updates. refs: #773

## Revision 7e4f32cf - 05/31/2019 02:40 PM - Enrico Zini

Merge branch 't773'. Fixes: #773

# Revision 1b626377 - 05/31/2019 04:40 PM - Enrico Zini

Merge branch 'master' into t773. refs: #773

# Revision d5ceec06 - 05/31/2019 05:02 PM - Enrico Zini

Added tabs to machine popup. refs: #773

### Revision c7333675 - 05/31/2019 06:32 PM - Enrico Zini

New RefreshFacts operation. refs: #773

### Revision c481621a - 05/31/2019 06:32 PM - Enrico Zini

Export facts in machine data. refs: #773

## Revision 4cb35e9f - 05/31/2019 06:33 PM - Enrico Zini

Added a button to refresh facts. refs: #773

11/01/2024 2/7

#### Revision c4fc343b - 05/31/2019 06:33 PM - Enrico Zini

Show last collected facts. refs: #773

#### Revision c24d3b68 - 05/31/2019 06:35 PM - Enrico Zini

Show in the log when an operation is posted via API. refs: #773

## Revision 1d8b6a22 - 05/31/2019 08:00 PM - Enrico Zini

Also show facts log in machine modal. refs: #773

#### Revision 8e3c92cf - 06/03/2019 02:06 PM - Elena Grandi

Add a timestamp to ansible facts data. refs: #773

#### Revision 4a866454 - 06/04/2019 12:11 PM - Elena Grandi

Find a machine in the store instead of looking up the mac for the name. refs: #773

### Revision 4e9672b3 - 06/28/2019 01:50 PM - Enrico Zini

Sync with master. refs: #773

#### Revision 426f13b0 - 06/28/2019 01:51 PM - Enrico Zini

Merge to master; UI is not finished, but it needs some analysis to see what is the desired way to present facts. Refs: #773

#### History

#### #1 - 03/11/2019 12:03 PM - Elena Grandi

- Related to Segnalazione #738: Detect macchine configurate con fuss-client added

### #2 - 03/11/2019 12:07 PM - Elena Grandi

- Assignee set to Elena Grandi

Fare caching in memoria dei dati raccolti.

(nota: riassegnare poi ad Enrico per l'interfaccia)

## #3 - 04/02/2019 06:49 PM - Enrico Zini

I dettagli su dove trovare i fact sono in #738

## #4 - 04/26/2019 11:57 AM - Elena Grandi

- Status changed from Nuovo to In elaborazione

## #5 - 05/02/2019 12:12 PM - Elena Grandi

- Assignee changed from Elena Grandi to Enrico Zini

Implementata la raccolta dei fact, branch t773. I test controllano la presenza di alcuni fact che mi paiono particolarmente utili, (quindi sono un posto dove è documentato come reperirli).

Ti ripasso il ticket per review, e per la parte di inserimento nell'interfaccia.

# #6 - 05/06/2019 07:01 PM - Enrico Zini

- Assignee changed from Enrico Zini to Elena Grandi

11/01/2024 3/7

Grazie! Ho fatto refactoring per incastrare il tutto nel manager, in modo da poter mandare richieste e ricevere risultati.

Mi piacerebbe fare cache dei fact di ansible in un qualche storage, in modo da poterli sempre mostrare, ed eventualmente dare la possibilità di aggiornarli o aggiornarli periodicamente.

In teoria, lo store che immagazzina i dati effimeri potrebbe ascoltare HostFactsEvent e salvarsi facts. Se ti sembra una buona idea, puoi implementarlo?

#### #7 - 05/07/2019 09:36 AM - Enrico Zini

In questo branch c'è il test tests.test\_playbook.TestPlaybook.test\_run\_playbook che dipende da fuss-test-network, e viene saltato se fuss-test-network non è su.

Per tirare su la rete di test: fuss-test-network --start --verbose. Serve che l'utente sia nel gruppo libvirt, e che la directory indicata dall'opzione --storage

sia accessibile e scrivibile dal gruppo libvirt. Dovrebbe dipendere solo da libvirt-clients.

Siccome i test sono opzionali, non importa tirare su fuss-test-network; se un giorno hai un momento per provarlo, però, magari mi dici se da te parte senza problemi.

Ho cambiato la mock data source per produrre nomi, IP e MAC corrispondenti a quelli usati da fuss-test-network, cosí usando runserver si potranno effettivamente far girare playbook sulle macchine di prova.

# #8 - 05/14/2019 03:10 PM - Elena Grandi

- Target version changed from 0.5 Run di playbook sui client to 0.6 Gestione di macchine spente

Sposto alla versione successiva per fare la release 0.5; qui manca da fare caching dei dati e poi ripassare ad enrico per l'interfaccia.

Al momento i fact vengono comunque visualizzati quando si è lanciato un playbook.

## #9 - 05/30/2019 10:35 AM - Elena Grandi

- Assignee changed from Elena Grandi to Enrico Zini

Backend del caching dei facts implementato, riassegno per review && merge (credo valga la pena mergiarlo per avere un "punto fisso") e poi implementazione dell'interfaccia.

## #10 - 05/31/2019 02:41 PM - Enrico Zini

Visto, discusso, mergiato su master. Lascio aperto il ticket assegnato a me per la parte di visualizzazione

## #11 - 05/31/2019 02:45 PM - Anonymous

- Status changed from In elaborazione to Risolto
- % Done changed from 0 to 100

 $Applicata\ nel\ changeset\ \underline{fuss-manager} | 7e4f32cfbd8e15f7d013291ac5d4b5c9a4cd9e6b.$ 

11/01/2024 4/7

#### #12 - 05/31/2019 04:41 PM - Enrico Zini

- Status changed from Risolto to In elaborazione

## #13 - 05/31/2019 06:22 PM - Enrico Zini

- Assignee changed from Enrico Zini to Elena Grandi

In facts\_loaded, the log is filled with information not taken from the event:

```
@asyncio.coroutine
def facts_loaded(self, evt):
    ip = yield from self.name_to_ip(evt.name)
    mac = yield from self.ip_to_mac(ip)
    machine = self.machines.get(mac)
    old_facts_log = machine.facts_log.copy()
    machine.facts_log.append({
        'timestamp': time.time(),
        'result': 'SUCCESS',
        'details': {},
})
```

Is it intentional? Ideally, I'd like to take the timestamp from the event, and set details to the actual facts.

# #14 - 05/31/2019 06:24 PM - Enrico Zini

Ah, I get it, the facts are stored only in the machine and not in the log, fair enough.

Would it make sense however to take the timestamp from the event, so it matches when the facts were actually collected?

## #15 - 05/31/2019 06:25 PM - Enrico Zini

Also, is it intentional that "facts" is not in STATS\_MACHINE\_FIELDS?

### #16 - 05/31/2019 07:38 PM - Enrico Zini

Another feature request for the backend: machine.facts currently contains only the key ansible\_facts; I'd like to have in it also the timestamp of its facts log, so that I can see how old are the facts and to which facts log they refer.

Presumably, they refer to the last successful entry in the facts log; still it would be nice to have the timestamp to see how old are the facts without iterating the facts log backwards.

### #17 - 05/31/2019 07:59 PM - Enrico Zini

11/01/2024 5/7

Another issue: if the machine is switched off, facts\_failed tries to look up its mac address to get the machine record to update. However, when the machine is off, IP to MAC resolution does not work, the mac variable is None, self.machines.get(mac) returns None and the rest of the method fails.

Would it be possible / a good idea to look up the machine in the store by name directly, both in facts\_loaded and in facts\_failed, instead of trying to resolve its ip and mac?

#### #18 - 06/03/2019 10:39 AM - Elena Grandi

Enrico Zini ha scritto:

Also, is it intentional that "facts" is not in STATS\_MACHINE\_FIELDS?

intenzionale sì, non sono sicura che sia la scelta giusta sul lungo periodo.

Se salvare o meno i facts su file credo che possa dipendere da quanto spesso li si richiede: se si tende a chiederli spesso forse non val la pena salvarli su file, se invece li si vuole richiedere più raramente vale sicuramente la pena.

Per il momento, credo che faccia comodo non averli salvati per non rendere completamente illeggibile lo stats file, cosa che di tanto in tanto è utile aprire per fare debugging.

## #19 - 06/03/2019 12:04 PM - Elena Grandi

- Related to Segnalazione #829: Controllare che il caricamento degli stats non pialli l'esistente added

### #20 - 06/04/2019 12:25 PM - Elena Grandi

- Assignee changed from Elena Grandi to Enrico Zini

Pushato t773 con le modifiche al backend:

- il timestamp è generato sul server in un momento solo e passato dalle varie parti
- la macchina a cui associare i facts è cercata per nome nello store anziché cercare di calcolarne l'ip.

Ho cercato di vedere se fosse facile ricevere già il mac dall'evento facts loaded, ma mi pareva che spostasse solo la ricerca anziché eliminarla, e quindi non ne valesse la pena.

## #21 - 06/28/2019 12:09 PM - Enrico Zini

- Target version changed from 0.6 Gestione di macchine spente to 0.10 Prima validazione interfaccia

## #22 - 06/28/2019 01:53 PM - Enrico Zini

- Assignee deleted (Enrico Zini)

11/01/2024 6/7

Fatto merge in master. I fact rimangono mostrati in modo grezzo, servirà capire in fase di ulteriore studio/validazione dell'interfaccia quale sia il modo più utile per mostrare i fact.

Tolgo l'assegnazione del ticket finché non arriviamo a quella fase.

11/01/2024 7/7